

## Talis E

### Single lever bath mixer for exposed installation

Finish: **Brushed Bronze** Article Number: **71740140**



#### Description

##### product features

- 2 functions
- projection: 194 mm
- centre distance: 150 ± 12 mm
- spray type mixer: NormalSpray
- maximum flow rate at 3 bar: 19,2 l/min
- flow rate for bath spout at 3 bar: 19,2 l/min
- maximum flow rate of hand shower at 3 bar: 16,8 l/min
- ceramic cartridge
- temperature limitation adjustable
- diverter with automatic resetting
- with silencer
- suitable for continuous flow water heaters
- connection dimension: DN15
- connection type: S-connections
- wall-mounted

#### Technology




#### Design awards



#### Product image




#### Scale drawing



**Talis E**  
**Single lever bath mixer for exposed installation**  
 Finish: **Brushed Bronze** Article Number: **71740140**



**Flowchart**




**Talis E**  
**Single lever bath mixer for exposed installation**  
 Finish: **Brushed Bronze** Article Number: **71740140**



**Exploded Drawing**

Year of production: >07/19



## Talis E

Single lever bath mixer for exposed installation

Finish: **Brushed Bronze** Article Number: **71740140**



### Spare part list

Year of production: >07/19

Pos.	Description	Article Number	PC	PU
1	handle	92666140	58	1
2	screw cover	96338000	1	1
3	flange	97406140	56	1
4	nut	97977000	9	1
5	O-Ring 32x2	98193000	1	1
6	O-ring 33x1,5	98164000	1	1
7	cartridge, assy	92730000	11	1
8	locking screw for handle	95140000	2	1
9	seal	95008000	3	1
10	aerator M24x1 (30 l/min)	96512140	55	1
11	diverter knob	97981140	56	1
12	sleeve	97979140	55	1
13	selector	97978000	11	1
14	set of nuts	96157140	58	1
15	O-ring 15x2	98163000	1	1
16	connecting thread	97220000	5	1
17	filter packing	96922000	3	1
18	escutcheon Ø 70 mm	94135140	54	1
19	set of S-unions (±12 mm)	94140000	10	1
20	noise reduction	96429000	2	1