


T-MULTI

Built-in thermostatic shower mixer (3 ways)

TECHNICAL DRAWINGS



FEATURES

Annual energy consumption (kWh/p.a.): 435.09

Application place: Shower

Check valve

Faucet type: Thermostatic

Flow rate (l/min - 3 bar): 6.5

Installation type: Built-in


NumberOfWaterInlets: 2



Evershine



Quick reaction




SafeTouch



Safety 38°

© Copyright 2026, Roca Sanitario, S.A. - All rights reserved | 09-11-2026 | https://www.export.roca.com/products/built-thermostatic-shower-mixer-3ways-5A224A..0?sku=A5A224AC00

UNIFIED WATER LABEL



© Copyright 2026, Roca Sanitario, S.A. - All rights reserved | 09-11-2026 | https://www.export.roca.com/products/built-thermostatic-shower-mixer-3ways-5A224A..0?sku=A5A224AC00

BOUGHT TOGETHER FREQUENTLY



T-Multi Built-in thermostatic body (3 ways)

5E224A..0

T-Multi



The T- Multi collection features a minimalist design that enhances the modern shower space. Equipped with thermostatic functionality, it ensures precise temperature control and added safety. The T-Multi Switch option includes on/off buttons for easy control and intuitive use, and water flow regulation for a smooth and effortless experience.

INSTALLATION AND USER MANUALS

Installation Handbook

© Copyright 2026, Roca Sanitario, S.A. - All rights reserved | 09-11-2026 | https://www.export.roca.com/products/built-thermostatic-shower-mixer-3ways-5A224A..0?sku=A5A224AC00