

Tecturis S

Single lever basin mixer 210 Fine CoolStart with swivel spout and push-open waste set

Finish: **Matt Black** Article Number: **73364670**



Description

product features

- consists of: single lever basin mixer, waste set
- ComfortZone: 210
- projection: 154 mm
- spout height: 187 mm
- handle variant: lever handle
- swivel range 120°
- spray type: NormalSpray
- maximum flow rate at 3 bar: 5 l/min
- ceramic cartridge
- suitable for continuous flow water heaters
- push-open waste set G 1¼
- material waste set: metal
- connection type: G ¾ hose connections
- connection dimension: DN15
- cold water in basic handle position
- EU taxonomy: max. 6 l/min - Substantial Contribution (SC) possible

Technology




Design awards



Product image



Scale drawing



Tecturis S

Single lever basin mixer 210 Fine CoolStart with swivel spout and push-open waste set

Finish: **Matt Black** Article Number: **73364670**



Flowchart



Tecturis S

Single lever basin mixer 210 Fine CoolStart with swivel spout and push-open waste set


Finish: **Matt Black**

Article Number: **73364670**



Exploded Drawing

Year of production: **>06/23**



Tecturis S

Single lever basin mixer 210 Fine CoolStart with swivel spout and push-open waste set

Finish: **Matt Black** Article Number: **73364670**



Spare part list

Year of production: >06/23

Pos.	Description	Article Number	PC	PU
1	spout cpl.	87101670	65	1
2	aerator M18x1 (5 l/min)	87493000	6	1
3	service tool	93750000	3	1
4	axialring	97558000	1	1
5	O-ring 9x1,5	98117000	1	1
6	O-Ring 14x2,5	98189000	1	1
7	handle	94999670	59	1
8	hollow set screw M5x5	98446000	1	1
9	screw cover	93735610	3	1
10	escutcheon	94987670	56	1
11	nut	94989000	3	1
12	O-ring 28x1,5	98421000	1	1
13	O-ring 29x2	98391000	1	1
14	cartridge, assy	93760000	13	1
15	seal	93383000	4	1
16	flat seal	98749000	2	1
17	fixing set (Ø 32)	13961000	7	1
18	connection hose 450 mm M8x0,75 G3/8	97206000	8	1
19	O-ring 7x1,5	98422000	1	1
20	sealing set	95581000	2	1
a	push-open waste set	50100670	99	1
b	escutcheon for exchanged connections	87494670	53	1