
| | |
|---|---|
| Brand | hansgrohe |
| Art. Name | **Vernis Shape** Single lever basin mixer 100 with isolated water conduction and pop-up waste set |
| Art. Nr. | 71561670 |
| Surface | Matt Black |

## Product picture



## Technology




## Spray Types





## Features

- consists of: single lever basin mixer, waste set
- ComfortZone: 100
- projection: 110 mm
- spout height: 95 mm
- handle variant: lever handle
- spray type: NormalSpray
- swiveling spray former
- maximum flow rate at 3 bar: 5 l/min
- ceramic cartridge
- temperature limitation adjustable
- suitable for continuous flow water heaters
- pop-up waste set G 1¼
- material waste set: synthetic
- connection type: G ⅜ hose connections
- connection dimension: DN15
- EU taxonomy: max. 6 l/min - Substantial Contribution (SC) possible


| | |
|---|---|
| Brand | hansgrohe |
| Art. Name | **Vernis Shape** Single lever basin mixer 100 with isolated water conduction and pop-up waste set |
| Art. Nr. | 71561670 |
| Surface | Matt Black |

**Flow chart**



| | |
|---|---|
| Brand | hansgrohe |
| Art. Name | **Vernis Shape** Single lever basin mixer 100 with isolated water conduction and pop-up waste set |
| Art. Nr. | 71561670 |
| Surface | Matt Black |

**Spare Parts Drawing for build year: > 04/21**



| | |
|---|---|
| Brand | hansgrohe |
| Art. Name | **Vernis Shape** Single lever basin mixer 100 with isolated water conduction and pop-up waste set |
| Art. Nr. | 71561670 |
| Surface | Matt Black |

**Spare parts list for build year: > 04/21**

| Pos. | Description | Articlenumber |
|---|---|---|
| 1 | handle | 93684670 |
| 2 | screw cover | 96338000 |
| 3 | flange | 93680670 |
| 4 | nut | 93686000 |
| 5 | cartridge, assy | 97685000 |
| 6 | locking screw for handle | 95140000 |
| 7 | seal | 98865000 |
| 8 | aerator swivelling M24x1 (5 l/min) | 93834670 |
| 9 | seal | 93687000 |
| 10 | fixing set (Ø 32) | 13961000 |
| 11 | lever collar | 97548000 |
| 12 | pull rod | 93683670 |
| a | pop up waste | 94139670 |
| b | fixation extension 35 mm | 13898000 |