


**DUPLO S**

Duplo S Compact - Built-in structure with compact dual flush cistern for wall-hung WC. Ø 90 / Ø 110 elbow



**TECHNICAL DRAWINGS**



**FEATURES**

Built-in structure with compact dual flush cistern for wall-hung WC and installation accessories, minimum depth of 90 mm. Ø 90 / Ø 110 elbow. Flushing mechanism with cable technology. Installation with uprights and/or in front of sturdy wall.

Dynamic pressure range: 0,1 - 10 Bar

Elbow connection: DN90 (90 mm)

Flush volume preset: Dual flush 3/6 litres

Minimum fixation depth (mm): 90

Operating plate position: Frontal

Suitable for: Wall-hung toilet

Tank depth (mm): 90

Water inlet position: Top



Adjustable flushing volume


Adjustable flushing volume: Dual flush  
3/6 litres

BOUGHT TOGETHER FREQUENTLY



PS1 Dual - Dual flush operating plate for Roca S installation systems. Cable technology. No tools required for installation

8902253..



PS2 Dual - Dual flush plate

8902243..



PS3 Dual - Dual flush plate

8902233..



PS4 - Dual flush operating plate with small dimensions for Duplo WC S

89022130.



PS4 Dual - Dual flush plate

8902213..



PS4 Dual - Dual flush operating plate for Roca S installation systems. Cable technology. No tools required for installation

8902212..

## Duplo S

Designed for modern living, Duplo S seamlessly integrates advanced concealed cistern technology with refined flush plate designs, providing unparalleled comfort and style for any bathroom project.



INSTALLATION AND USER MANUALS



[Installation Handbook](#)